BOTHALIA

VOL. 24
INDEX—INDEKS

NATIONAL
BOTANICAL
INSTITUTE

ISSN 0006 8241

1994

BOTHALIA

'N TYDSKRIF VIR PLANTKUNDIGE NAVORSING
A JOURNAL OF BOTANICAL RESEARCH

Volume 24

Scientific Editor/Wetenskaplike Redakteur: O.A. Leistner
Technical Editor/Tegnsiese Redakteur: B.A. Momberg

NATIONAL
BOTANICAL
INSTITUTE

2 Cussonia Avenue, Brummeria, Pretoria / Private Bag X101, Pretoria 0001
Cussonialaan 2, Brummeria, Pretoria / Privaatsak sX101, Pretoria 0001

ISSN 0006 8241

1994



Digitized by the Internet Archive
in 2025

https://archive.org/details/african-biodiversity-conservation_1994_24_index

CONTENTS—INHOUD

	Page/Bladsy	Date/Datum
No. 1	1–119	May/Mei 1994
No. 2	121–276	Oct./Okt. 1994

Page Bladsy

ANDREWS, S. *FSA* contributions 1: Aquifoliaceae 163

BALKWILL, K. & BALKWILL, M-J. Review: Flora of Australia Volume 50: Oceanic Islands 2, edited by A.S. George, A.E. Orchard, H.J. Hewson & H.S. Thompson, 1993 262

BARKER, N.P. External fruit morphology of southern African Arundineae (Arundinoideae: Poaceae) 55

BEYERS, J.B.P. & VAN DER WALT, J.J.A. Inflorescence morphology of *Lachnaea* and *Cryptadenia* (Thymelaeaceae) 195

BROOKS, R. & OWEN-SMITH, N. Plant defences against mammalian herbivores: are juvenile *Acacia* more heavily defended than mature trees? 211

BUYS, M.H. & VAN DER WALT, J.J.A. The correct author citation for *Lobostemon montanus* (Boraginaceae) 35

BUYS, M.H. & VAN DER WALT, J.J.A. *Lobostemon regulareflorus*—the correct name for *L. grandiflorus* (Boraginaceae) 170

CRON, G.V., VAN WYK, B-E. & VINCENT, P.L.D. Chromosome counts for seven species of *Cineraria* (Senecioneae, Asteraceae) 91

DAVIS, G.W. Review: Modelling biological populations in space and time, by E. Renshaw, 1991 119

FELLINGHAM, A.C. *Cliffortia longifolia*, A 'good' species or should it be a variety under *C. strobilifera*? (Rosaceae) 31

KÄRNEFELT, E.I. A life dedicated to lichens and literature, Ove Almborn (30th July 1914 to 6th March 1992) 111

KILLICK, D.J.B. Review: A field guide to the Natal Drakensberg, by Dave & Pat Irwin, 1992 117

KURZWEIL, H. Review: Phylogeny and classification of the Orchid family, by R.L. Dressler, 1993 118

MINNE, L., SPIES, J.J., VENTER, H.J.T. & VENTER, A.M. Breeding systems in some representatives of the genus *Lycium* (Solanaceae) 107

MOFFETT, R.O. Names of the southern African species of *Rhus* (Anacardiaceae) and their etymology 67

MOMBERG, B.A. National Botanical Institute: list of staff and publications, 31st March 1994 247

O'CALLAGHAN, M. The saltmarsh vegetation of Langebaan Lagoon 217

O'CALLAGHAN, M. The saltmarsh vegetation of the lower Berg River 223

O'CALLAGHAN, M. The saltmarsh vegetation of the lower Uilkraals River 229

O'CALLAGHAN, M. The marsh vegetation of Kleinmond Lagoon 235

O'CONNOR, T.G. Review: An African savanna, synthesis of the Nylsvley study, by R.J. Scholes & B.H. Walker, 1993 261

OLIVER, E.G.H. Studies in the Ericoideae (Ericaceae) XV. The generic relationship between *Erica* and *Ericinella* 121

OLIVER, E.G.H. & FELLINGHAM, A.C. A new serotinous species of *Cliffortia* (Rosaceae) from the southwestern Cape with notes on *Cliffortia arborea* 153

OLIVER, E.G.H. & OLIVER, INGE M. Studies in the Ericoideae (Ericaceae). XIV. Notes on the genus *Erica* 25

PARKINSON, B.M. Morphological and ultrastructural variations in *Schizaea pectinata* (Schizaeaceae: Pteridophyta) 203

PEROLD, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 4. *Mannia capensis*, section and subgenus *Xeromannia* (Aytoniaceae) 9

PEROLD, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 5. The genus *Exormotheca, E. pustulosa* and *E. holstii* 15

PEROLD, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 6. The genus *Asterella* (Aytoniaceae: Reboulioideae) and its four local species 133

PEROLD, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 7. The genus *Cryptomitrium* (Aytoniaceae) and *C. oreades* sp. nov. 149

ROBBERTSE, P.J. Review: Morphology of flowers and inflorescences, by F. Weberling, 1992 118

ROURKE, J.P. Three new species of *Serruria* (Proteaceae) from the southwestern Cape 1

ROURKE, J.P. A new species of *Leucospermum* from the southwestern Cape (Proteaceae) 167
ROUX, J.P. Systematic studies in the genus *Mohria* (Anemiaceae). V. Karyology (Pteridophyta) 97
SCHUTTE, A. LOUISE. An overview of *Aspergillus* (Hyphomycetes) and associated teleomorphs in southern Africa 171
SMITH, G.F., VAN WYK, B-E. & GLEN, H.F. *Aloe barberae* to replace *A. bainesii* (Asphodelaceae/Aloaceae) 34
SMITH, G.F., VAN WYK, B-E. & VAN JAARSVELD, E.J. Was *Gasteria nitida* var. *armstrongii* validly published? (Asphodelaceae/Aloaceae) 34
SNIJMAN, D.A. & WILLIAMSON, G. A taxonomic re-assessment of *Ammocharis herrei* and *Cybistetes longifolia* (Amaryllideae: Amaryllidaceae) 127
SPIES, J.J., TROSKIE, T.H., VAN DER VYVER, E. & VAN WYK, S.M.C. Chromosome studies on African plants. 11. The tribe Andropogoneae (Poaceae: Panicoideae) 241
STRUCK, M. Flowering phenology in the arid winter rainfall region of southern Africa 77
STRYDOM, A. & SPIES, J.J. A cytotaxonomic study of some representatives of the tribe Cynodonteae (Chloridoideae, Poaceae) 92
STRYDOM, A. & SPIES, J.J. Embryo sac development in some representatives of the tribe Cynodonteae (Poaceae) 101
WINTER, P.J.D. & VAN WYK, B-E. The taxonomic value of epidermal characters in the leaf of *Heteromorpha* and some related genera (Apiaceae) 187
ZAMBATIS, N. Ferns and flowering plants of Klaserie Private Nature Reserve, eastern Transvaal: an annotated checklist 37

INDEX—INDEKS

Acacia *Mill.*, 211
nilotica *(L.) Willd. ex Delile*, 211
tortilis *(Forssk.) Hayne*, 211
achene, 55
Acrostemon schlechteri *N.E. Br.*, 27
Africa, 121
southern, 9, 15, 25, 55, 67, 77, 133, 149, 171
Aloaceae, 32
Aloe
bainesii Dyer, 35
var. *barberae* (Dyer) Baker, 35
barberae *Dyer*, 35
Amaryllidaceae, 127
Amaryllis
coranica Burch. var. *pallida* Lindl., 130
falcata (Jacq.) L'Hér., 130
longifolia L., 130
Amnocharis
falcata (Jacq.) Herb., 130
herrei F.M. Leight., 127, 130
longifolia (L.) M. Roem., 130
Anacardiaceae, 67
anatomy, 187
Andrews, S. *FSA* contributions 1: Aquifoliaceae, 163
Andropogon *L.*, 241
Anemiaceae, 97
anemogeochory, 127
Apiaceae, 187
apomixis, 101
apospory, 101
Arboreae *Weim. emend E.G.H. Oliv. & Fellingham*, section, 160
Arundineae, 55
Arundinoideae, 55
Aspergillus *Link*, 171
Asphodelaceae/Aloaceae, 34
Asteraceae, 91
Asterella *P. Beauv.*, 133
angolensis S.W. Arnell, 142
bachmannii *(Steph.) S.W. Arnell*, 133, 137
marginata *(Nees) S.W. Arnell*, 133, 140
muscicola *(Steph.) S.W. Arnell*, 133, 135
wilmsii *(Steph.) S.W. Arnell*, 133, 142
author citation, 35
Aytoniaceae, 9, 133, 149
Balkwill, K. & Balkwill, M-J. Review: Flora of Australia Volume 50: Oceanic Islands 2, edited by A.S. George, A.E. Orchard, H.J. Hewson & H.S. Thompson, 1993, 262
Barker, N.P. External fruit morphology of southern African Arundineae (Arundinoideae: Poaceae), 55
Berg River, Western Cape, 223
Beyers, J.B.P. & Van der Walt, J.J.A. Inflorescence morphology of *Lachnaea* and *Cryptadenia* (Thymelaeaceae), 195
Biome
Savanna, 37
Blaeria *L.*, 121
microdonta C.H. Wright, 124
book reviews, 117, 261
Boraginaceae, 35, 170
bract, 121
bracteoles, 121
Brooks, R. & Owen-Smith, N. Plant defences against mammalian herbivores: are juvenile *Acacia* more heavily defended than mature trees?, 211
browsers, 211
Brunsvigia falcata (Jacq.) Ker Gawl., 130
Buys, M.H. & Van der Walt, J.J.A. The correct author citation for *Lobostemon montanus* (Boraginaceae), 35
Buys, M.H. & Van der Walt, J.J.A. *Lobostemon regulareflorus*—the correct name for *L. grandiflorus* (Boraginaceae), 170
Cape
Eastern, 121
Namaqualand, 77
southwestern, 1, 167
Western, 217, 223
caryopsis, 55
Celastrus sieberi Bernh., 163
Centropodia *Rchb.*, 61
Chaetobromus *Nees*, 59
Chaetosartorya *Subram.*, 171, 184
checklist, 37, 42, 179
Chloridoideae *Rouy*, 92, 101
chromosome
counts, 91
numbers, 92, 97, 107, 241
Chrysophyllum millerianum Lam., 163
Cineraria *L.*, 91
Cliffortia *L.*, 153
arborea *Marloth*, 153, 159
conifera *E.G.H. Oliv. & Fellingham*, 153, 154
longifolia *(Eckl. & Zeyh.) Weim.*, 31
strobilifera *L.*, 32
var. *longifolia* Eckl. & Zeyh., 31
climatic variables, 77
comb. nov., 26, 124, 170
common names, 69
Corbierella Douin & Trab., 15
Crinum
falcatum Jacq., 130
longifolium (L.) Thunb., 130
Cron, G.V., Van Wyk, B-E. & Vincent, P.L.D. Chromosome counts for seven species of *Cineraria* (Senecioneae, Asteraceae), 91
Cryptadenia *Meisn.*, 195
Cryptomitrium *Austin ex Underw.*, 149
oreades *Perold*, 149
Cybistetes longifolia *(L.) Milne-Redh. & Schweick.*, 127, 130
Cymbopogon *Spreng.*, 241
Cynodonteae *Dumort.*, 92, 101
cytogenetics, 241
cytotaxonomy, 92
Davis, G.W. Review: Modelling biological populations in space and time, by E. Renshaw, 1991, 119
defence, 211
Dictyochiton Bisch., 133
Dregeochloa *Conert*, 59
Eastern
Cape, 121
Transvaal, 37
Transvaal Lowveld, 37
Echium
formosum Pers., 170
grandiflorum Andrews, 170
grandiflorum Salisb., 170
montanum (H. Buek.) DC., 35
regulare florum Ker Gawl., 170
tubiferum Poir., 170
ecology, 217, 223, 229, 235
Elionurus *Kunth ex Willd.*, 241
Elytrophorus *P. Beauv.*, 65
embryo, 55
sac development, 101
Emericella *Berk. & Broome*, 171, 184
epidermis, 187
Erica *L.*, 121
acockii Compton, 26
alexandri *Guthrie & Bolus*, 26
subsp. acockii *(Compton) E.G.H. Oliv.*, 26
subsp. alexandri, 26
amatolensis *E.G.H. Oliv.*, 123
annectens *Guthrie & Bolus*, 25
auriculata Guthrie & Bolus, 26
austroverna Hilliard, 29
cerviciflora Salisb., 26
coarctata Wendl. var. *longipes* (Bartl.) Bolus, 28
colorans *Andrews*, 25
cumuliflora *Salisb.*, 29

dulcis *L. Bolus*, 25
esterhuyseniae *Compton*, 27
var. esterhuyseniae, 27
var. a *tetramera*, 27
var. *trimera* Compton, 27
exsurgens Andrews var. *grandiflora* (L.f.) Dulfer, 26
filiformis Salisb. var. *maritima* Bolus, 27
gillii *Benth.*, 27
grandiflora *L. f.*, 26
greyi *Guthrie & Bolus*, 26
hillburtii *(E.G.H. Oliv.) E.G.H. Oliv.*, 124
ionii H.A. Baker, 30
leptostachya Guthrie & Bolus, 27
longipes Klotzsch ex Benth. non Bartl., 28
longisepala Guthrie & Bolus, 28
macowanii *Cufino*, 25
manifesta Compton, 30
microdonta *(C.H. Wright) E.G.H. Oliv.*, 124
minutissima Klotzsch. ex Benth., 28
monadelphia *Andrews*, 28
multiflora L., 123
newdigateae *Dulfer*, 28
newdigatei Dulfer, 28
octonaria *L. Bolus*, 25
parilis *Salisb.*, 28
passerinoides *(Bolus) E.G.H. Oliv.*, 124
pinea *Thunb.*, 25
priorii *Guthrie & Bolus*, 29
quadraeflora Salisb., 28
quandrangularis *Salisb.*, 28
recurvata Andrews, 29
revoluta *(Bolus) L.E. Davidson*, 29
scoparia *L.*, 27
setulosa *Benth.*, 29
solandra Andrews var. *mollis* Dulfer, 29
sphenanthera Tausch, 26
subverticillaris Diels ex Guthrie & Bolus var. *revoluta* Bolus, 29
trichophora *Benth.*, 25
turmalis Salisb., 29, 30
umbelliflora *Klotzsch ex Benth.*, 30
Ericaceae, 25
Ericinella Klotzsch, 121
brassii Brenan, 124
hillburtii E.G.H. Oliv., 124
microdonta (C.H. Wright) Alm & T.C.E. Fr., 124
var. *craspedotricha* Brenan, 124
multiflora Klotzsch, 123
passerinoides Bolus, 124
shinniae S. Moore, 124
Ericoideae, 25
etymology, 67
Eurotium *Link*, 171, 184
Exormotheca *(Godm.) Mitten*, 15
africana Steph., 15
holstii *Steph.*, 15
megastomata C. Marquand, 15, 18
pustulosa *Mitten*, 15
youngii S.W. Arnell, 15, 18
Exormothecaceae, 15
exospore structure, 203
external morphology, 55
Fellingham, A.C. *Cliffortia longifolia*, a 'good' species or should it be a variety under *C. strobilifera*? (Rosaceae), 31
Fennellia *B.J. Wiley & E.G. Simmons*, 171, 185
ferns, 37, 42
Fimbraria Nees, 133
angolensis Steph., 142
bachmannii Steph., 137
marginata Nees, 140
muscicola Steph., 135
wilmsii Steph., 142
flowering
plants, 37, 42
sequence, 77
fungi, 171
Gasteria
armstrongii Schönland, 34
nitida var. armstrongii *(Schönland) Van Jaarsv.*, 34
Glen, H.F., 35
Grimaldia Raddi, 9
dichotoma Raddi, 9
guide for authors to *Bothalia*, 263
Haemanthus falcatus (Jacq.) Thunb., 130
Hepaticae, 9, 15, 133, 149
Heteromorpha *Cham. & Schltdl.*, 187
betsileensis, 187
hilum, 55
Hyparrhenia *Fourn.*, 241
Hypenantron Corda, 133
Hyperthelia *Clayton*, 241
Hyphomycetes, 171
Ilex *L.*, 163
× koehneana *Loes.*, 165
aquifolium *L.*, 164
capensis Sond., 163
cornuta 'Burfordii', 165
cornuta *Lindl. & Paxton*, 165
mitis *(L.) Radlk.*, 163
forma *capensis* (Sond.) Loes., 163
var. mitis, 163
paraguariensis *A. St.-Hil.*, 165
pernyi *Franch.*, 165
vomitoria *Aiton*, 165
inflorescence morphology, 195
Kärnefelt, E.I. A life dedicated to lichens and literature, Ove Almborn, (30th July 1914 to 6th March 1992), 111
Karoo, Succulent, 77
Karroochloa *Conert*, 59
karyology, 97
Killick, D.J.B. Review: A field guide to the Natal Drakensberg, by Dave & Pat Irwin, 1992, 117
Klaserie, 37
Kleinmond Lagoon, Western Cape, 235
Kurzweil, H. Review: Phylogeny and classification of the orchid family, by R.L. Dressler, 1993, 118
Lachnaea *L.*, 195
Langebaan Lagoon, Western Cape, 217
Lesotho, 149
Leucospermum harpagonatum *Rourke*, 167
Leucoxylon laurinum E. Mey., 163
Lobostemon
formosus (Pers.) H. Buek, 170
grandiflorus (Andrews) Levyns, 170
montanus *H. Buek*, 35
regulareflorus *(Ker Gawl.) Buys*, 170
Lycium *L.*, 107
Madagascar, 187
Manglilla milleriana (Lam.) Pers., 163
Mannia *Opiz*, 9
capensis *(Steph.) S.W. Arnell*, 9
var. *pallida* S.W. Arnell, 9, 13
raddii *Opiz*, 9
triandra (Scop.) Grolle, 9
Marchantiales, 9, 15, 133, 149
meiosis, 241
Merxmuellera *Conert*, 61
Minnie, L., Spies, J.J., Venter, H.J.T. & Venter, A.M. Breeding systems in some representatives of the genus *Lycium* (Solanaceae), 107
Moffett, R.O. Names of the southern African species of *Rhus* (Anacardiaceae) and their etymology, 67
Mohria *Sw.*, 97
Momberg, B.A. National Botanical Institute South Africa: list of staff and publications, 31st March 1994, 247
morphology, 55, 195, 203
mycology, 171
mycotoxins, 171
Myriorrhynchus Lindb. & H.W. Arnell, 15
fimbriatus, 15
Myrsine mitis (L.) Spreng., 163
Namaqualand, 77

Neosartorya *Malloch & Cain*, 171, 185
new
provinces of South Africa (May 1994), 269
species, 1, 4, 6, 140, 153, 154, 167
nom. nov., 123
nomenclature, 25, 170
Northern Transvaal, 211
Nylsvley, 211
O'Callaghan, M. The saltmarsh vegetation of Langebaan Lagoon, 217
O'Callaghan, M. The saltmarsh vegetation of the lower Berg River, 223
O'Callaghan, M. The saltmarsh vegetation of the lower Uilkraals River, 229
O'Callaghan, M. The marsh vegetation of Kleinmond Lagoon, 235
obituary, 111
O'Connor, T.G. Review: An African savanna, synthesis of the Nylsvley study, by R.J. Scholes & B.H. Walker, 1993, 261
Octokepos Griff., 133
Oliver, E.G.H. & Oliver, Inge M. Studies in the Ericoideae (Ericaceae). XIV. Notes on the genus *Erica*, 25
Oliver, E.G.H. Studies in the Ericoideae (Ericaceae). XV. The generic relationship between *Erica* and *Ericinella*, 121
Oliver, E.G.H. & Fellingham, A.C. A new serotinous species of *Cliffortia* (Rosaceae) from the southwestern Cape with notes on *Cliffortia arborea*, 153
Oliver, Inge M., 25
overview, 171
Owen-Smith, N., 211
Panicoideae, 241
Parkinson, B.M. Morphological and ultrastructural variations in *Schizaea pectinata* (Schizaeaceae: Pteridophyta), 203
pathology, 171
Pentameris *P. Beauv.*, 64
Pentaschistis *(Nees) Spach*, 61
perispore formation, 203
Perold, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 4. *Mannia capensis*, section and subgenus *Xeromannia* (Aytoniaceae), 9
Perold, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 5. The genus *Exormotheca, E. pustulosa* and *E. holstii*, 15
Perold, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 6. The genus *Asterella* (Aytoniaceae: Reboulioideae) and its four local species, 133
Perold, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 7. The genus *Cryptomitrium* (Aytoniaceae) and *C. oreades* sp. nov., 149,
phenology, 77
Philippia *Klotzsch*, 121
Phragmites *Adans.*, 61
Phragmoblepharis *Grolle*, subgenus of Asterella, 133
Platycoaspis Lind., 149
Poaceae, 55, 92, 101, 241
Polemannia *Eckl. & Zeyh.*, 187
Polemanniopsis *B.L. Burtt*, 187
polyphenols, 211
polyploidy, 241
precipitation, 77
Prinos lucidus Aiton, 163
Prionanthium *Desv.*, 61
Proteaceae, 1, 167
Pseudopentameris *Conert*, 59
Pteridophyta, 37, 42, 97, 203
publications of staff, 256
Reboulia, 149
hemisphaerica, 133, 146
Reboulioideae, 133, 149
Rhacotheca Bisch., 133
Rhus *L.*, 67
Robbertse, P.J. Review: Morphology of flowers and inflorescences, by F. Weberling, 1992, 118
Rosaceae, 31
Rourke, J.P. Three new species of *Serruria* (Proteaceae) from the southwestern Cape, 1
Rourke, J.P. A new species of *Leucospermum* from the southwestern Cape (Proteaceae), 167
Roux, J.P. Systematic studies in the genus *Mohria* (Anemiaceae). V. Karyology (Pteridophyta), 97
saltmarsh, 217, 223, 229, 235
Savanna Biome, 37
Schismus *P. Beauv.*, 59
Schizaea pectinata *(L.) Sw.*, 203
Schizaeaceae, 203
Schutte, A. Louise. An overview of *Aspergillus* (Hyphomycetes) and associated teleomorphs in southern Africa, 171
Sclerocleista *Subram.*, 171, 185
Scleroxylum mite (L.) Willd., 163
seasonality, 77
section
Arboreae (genus Cliffortia), 160
Saccatae (subgenus Asterella), 133
Xeromannia (Aytoniaceae), 9
seed
number, 127
size, 127
Senecioneae (Asteraceae), 91
serotiny, 153
Serruria
altiscapa *Rourke*, 1,
balanocephala *Rourke*, 6
elevata R. Br., 6
elongata, 3
fucifolia Salisb. ex Knight, 6
gremialis *Rourke*, 4, 6
Sideroxylon mite L., 163
Smith, G.F., Van Wyk, B-E. & Glen, H.F. *Aloe barberae* to replace *A. bainesi* (Asphodelaceae/Aloaceae), 34
Smith, G.F., Van Wyk, B-E. & Van Jaarsveld, E.J. Was *Gasteria nitida* var. *armstrongii* validly published? (Asphodelaceae/Aloaceae), 34
Snijman, D.A. & Williamson, G. A taxonomic re-assessment of *Ammocharis herrei* and *Cybistetes longifolia* (Amaryllideae: Amaryllidaceae), 127
Solanaceae, 107
southern Africa, 9, 15, 25, 55, 67, 77, 133, 149, 171
southwestern Cape, 1, 167
sp. nov., 1, 4, 6, 140, 154, 167
species distribution, 217, 223, 229, 235
Spies, J.J., 92, 101, 107
Spies, J.J., Troskie, T.H., Van der Vyver, E. & Van Wyk, S.M.C. Chromosome studies on African plants. 11. The tribe Andropogoneae (Poaceae: Panicoideae), 241
sporogenesis, 203
stat. nov., 26
stomata, 187
Struck, M. Flowering phenology in the arid winter rainfall region of southern Africa, 77
Strydom, A. & Spies, J.J. A cytotaxonomic study of some representatives of the tribe Cynodonteae (Chloridoideae, Poaceae), 92
Strydom, A. & Spies, J.J. Embryo sac development in some representatives of the tribe Cynodonteae (Poaceae), 101
Styppeiochloa *De Winter*, 61
subgenus Xeromannia (Aytoniaceae), 9, 12
Succulent Karoo, 77
surface sculpturing, 55
synonymy, 127
systematics, 55
tannins, 211
tapetal organisation, 203
taxonomy, 1, 9, 15, 25, 121, 149, 153, 167, 170, 171, 187
teleomorphs, 171
temperature, 77
thorns, 211
Thymelaeaceae, 195
timing, 77
Transvaal
Eastern, 37
Northern, 211
tribe Cynodonteae (Chloridoideae, Poaceae), 92, 101
Tribolium *Desv.*, 59
trichomes, 187
Troskie, T.H., 241
Uilkraals River, Western Cape, 229
ultrastructure, 203
Urochlaena *Nees*, 59, 61
Van der Vyver, E., 241
Van der Walt, J.J.A., 35, 195
Van Wyk, B-E., 34, 35, 187
Van Wyk, S.M.C., 241

vegetation, 217, 223, 229, 235
Venter, A.M., 107
Venter, H.J.T., 107
vestiture, 187
vigour of blooming, 77
Western Cape, 217, 223, 229, 235
winter rainfall, 77
Winter, P.J.D. & Van Wyk, B-E. The taxonomic value of epidermal characters in the leaf of *Heteromorpha* and some related genera (Apiaceae), 187
Xeromannia *Grolle*, subgenus, section, 9, 12
Zambatis, N. Ferns and flowering plants of Klaserie Private Nature Reserve, eastern Transvaal: an annotated checklist, 37
zonation, 217, 223, 229, 235

Printed by Aurora, 161 Mitchell Street, Pretoria West